#### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

**Inventors:** Marshall T. Denton

Patent No.: 7,389,947 B2

**Issued:** June 24, 2008

For: PUMP-BOTTLE ATOMIZER

Attorney Docket No.: 2078-5372US

### VIA ELECTRONIC FILING

**November 10, 2008** 

# REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT OFFICE MISTAKES (37 C.F.R. § 1.322)

Attn.: Certificate of Corrections Branch

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Sir:

It is noted that several errors appear in this patent of a typographical nature. These errors are due to mistakes in printing on the part of the U.S. Patent and Trademark Office, and occurred through no fault of the Applicant. A certificate of correction in the form attached hereto is requested.

Please send the Certificate to:

Name: Allen C. Turner Address: TraskBritt

P.O. Box 2550

Salt Lake City, Utah 84110

Attached hereto is Form PTO/SB/44, which is suitable for printing.

Respectfully submitted,

Allen C. Turner

Registration No. 33,041

Attorney for Applicants

TRASKBRITT, PC P.O. Box 2550

Salt Lake City, Utah 84110-2550

Telephone: 801-532-1922

Date: November 6, 2008

ACT/df/ab

Attachments: PTO/SB/44

Document in ProLaw

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

(Also Form PTO-1050)

### UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO :

7,389,947

Page 1 of 2

APPLICATION NO.:

10/618,459

ISSUE DATE

June 24, 2008

INVENTOR(S)

Marshall T. Denton

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

#### In the specification:

COLUMN 3,	LINE 11,	change the comma after "atomizer" to a semicolon
COLUMN 4,	LINE 55,	change "215,to" to215 to
COLUMN 5,	LINE 60,	insert a comma after "bottle" before "fixing"
COLUMN 5.	LINE 64.	change the semicolon after "polymer" to a comma

#### In the claims:

CLAIM 1,	COLUMN 6,	LINE 46,	change "a nozzle" toan atomizing nozzle per
			examiner's amendment
CLAIM 1,	COLUMN 6,	LINE 57,	at the end of the line, change "an" tothe per
			examiner's amendment per examiner's amendment
CLAIM 1,	COLUMN 6,	LINE 60,	change "nozzle" toatomizing nozzle
CLAIM 1,	COLUMN 6,	LINE 60,	change the comma after "nozzle" to a period and delete
			"wherein the"
CLAIM 1,	COLUMN 6,	LINES 61-67	, delete the lines in their entirety
CLAIM 7,	COLUMN 7,	LINE 53,	after "mechanism," delete "and"

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Allen C. Turner TRASKBRITT 230 South 500 East, Suite 300 Salt Lake City, Utah 84102 USA

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 7,389,947 Page 2 of 2

APPLICATION NO.: 10/618,459
ISSUE DATE: June 24, 2008
INVENTOR(S): Marshall T. Denton

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

#### In the claims (continued):

CLAIM 7, COLUMN 7, LINES 54-56, delete the lines in their entirety CLAIM 7, COLUMN 8, LINES 1-3, delete the lines in their entirety CLAIM 7, COLUMN 8, LINE 4, delete "device"

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Allen C. Turner TRASKBRITT 230 South 500 East, Suite 300 Salt Lake City, Utah 84102 USA

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.